

CONTRACT PACKAGE C-6: REPLIES TO PRE-TENDER QUERIES (Set 1)_24.04.2024

Contract Package C-6 : Design and Construction of Civil Works (Earthwork, Bridges, Station Buildings, Retaining Walls & other miscellaneous Works) and General Electrical Services works from km 61.50 to km 126.03 between HORC station New Patli and IR station Harsana Kalan and connectivities from Badsa Station of HORC to existing IR Sultanpur station and Mandothi station of HORC to existing IR Asaudah Station in connection with laying of New BG Double Railway line of HORC Project.

S. No.	Reference to Tender Document (Clause/ Para No. & Page No.)	Brief Description of Clause/ Para No. (As quoted by the prospective Tenderer)	Query Raised	Reply of HRIDC
1	C6RFPPART2ER / Section VII-2 Employer's Requirements -Functional / 2.1.25 Land for Contractor's Facilities & Site Office& Page no 34 of 820	For batching plants, field quality control laboratories, site offices and other activities (excluding labour camps), land total measuring approx. 20,000 Sq. m will be made available at multiple locations between km 61.5 to km 126 by the Employer on 'as is where is basis' free of cost. This land shall be made good for such offsite activities as needed by the Contractor at no extra cost to the Employer. Any land required beyond the above area will have to be arranged by the Contractor at his own cost. The land shall be cleared from debris, all structures made by the Contractor including RCC footings and rafts etc. and reinstated to the line, level and to the same conditions as existed before the work started before handing over back to the Employer within 91 days after Taking over Certificate. The final bill shall be released to the Contractor after all structures from the Contractor facility and site office are removed & cleared of site. The cost of setting up of all the above-mentioned facilities & the office and reinstatement of site is included in lump sum price in Schedule 'A'.	Authority is requested to provide exact location of land 20,000 sqm will be available for bidder's better working.	Tender conditions remain unchanged.
2	C6RFPPART2ER / Section VII-5 Employer's Requirements -Outline Design Specifications (ODS) – Civil & BLT / 2.7 General Design Requirements (I) & Page no 111 of 820	For bridges shown with pile/ well foundation in the Tender drawings only deep foundation shall be provided.	Authority is requested to allow bidder to change type of foundation if suitable soil strata encountered during Geotechnical Investigations.	Tender conditions remains unchanged.
3	Annexure-F-4, (RFP Part 2 ER) Page No. 54 of 820	Approximate Details of Retaining Wall Along Formation Under Schedule 'B' [Ref. Sub-Clause 2.2 b)	We wish to submit our points as under. As per Annexure-F-4 , Total length of Retaining wall to be constructed is 460 m., which will be paid under schedule-B. We understand that in case during execution if it is required to construct additional retaining walls (beyond 460 m.) anywhere in the entire project length, the same shall also be paid under Schedule-B, kindly confirm our understanding is correct.	Tender Documents are self explanatory. Tender Documents are self explanatory.
4	Annexure-F-7, (RFP Part 2 ER) Page No. 61 of 820	Sr No. iii Construction of temporary diversions, if any, including additional land (if any required beyond ROW) for constructing the same	For Bridges in Annexure F-6, the scope is mentioned as "included in Schedule 'B' <i>Included in quoted rates of relevant items under Schedule-B</i> ". Authority is requested to consider the scope for Construction of temporary diversions, if any, including additional land (if any required beyond ROW) for constructing the same for Bridges in Annexure F-1 & F-2 in Schedule - B.	Tender conditions remain unchanged.
5	Section VII-5: Employer's Requirements - Outline Design Specifications (ODS) - Civil & BLT 2.7 General Design Requirements Page No. 111 of 820	j) RCC drains shall be designed where existing DFC/KMP and new HORC embankment overlaps, for drainage of storm water from both the embankments.	During the site visit dated 03.04.2024, it was informed that the Design of RCC Drain at existing IR/KMP and new HORC embankment overlaps, for drainage of storm water from both the embankments, is not under the scope of the contractor, but the same was not clear in the mentioned clause. Kindly confirm RCC drains for embankments is under Contractor's scope or not. Further, if it is required to construct by the Contractor, the same shall also be included and paid under Schedule 'B'.	Refer Sub-Clause 2.1.14 and 2.2 (i) of Section VII-2: Employer's Requirements-Functional, Part 2 of Tender Document.
6	Sub-Clause 1.13 (a) of GCC, Compliance with Laws & Page no 13 of 231	The Employer shall have obtained (or shall obtain) the planning, zoning or building permit or similar permits, permissions, licences and/or approvals for the Permanent Works, and any other permits, permissions, licenses and/or approvals described in the Employer's Requirements as having been (or being) obtained by the Employer....	Authority is requested to provide the status for the same.	Tender Documents are self explanatory.

CONTRACT PACKAGE C-6: REPLIES TO PRE-TENDER QUERIES (Set 1)_24.04.2024

Contract Package C-6 : Design and Construction of Civil Works (Earthwork, Bridges, Station Buildings, Retaining Walls & other miscellaneous Works) and General Electrical Services works from km 61.50 to km 126.03 between HORC station New Patli and IR station Harsana Kalan and connectivities from Badsa Station of HORC to existing IR Sultanpur station and Mandothi station of HORC to existing IR Asaudah Station in connection with laying of New BG Double Railway line of HORC Project.

S. No.	Reference to Tender Document (Clause/ Para No. & Page No.)	Brief Description of Clause/ Para No. (As quoted by the prospective Tenderer)	Query Raised	Reply of HRIDC
7	Sub-Clause 3.1 of GCC, The Engineer & Page no 17 of 231	The Employer shall appoint the Engineer who shall carry out the duties assigned to him in the Contract...	(i) Kindly clarify the timeline for the appointment of the Engineer with respect to the Commencement Date. (ii) In the event of any delay in achieving the Key Dates by the Contractor, attributable to the delay in the appointment of the Engineer, how will the Contractor be compensated.	(i) Refer Sub-Clause 1.1.35 of Part A-Contract Data, Section IX-PCC, Part 3 of Tender Document. (ii) Refer Sub-Clause 1.1.35 of Part A-Contract Data, Section IX-PCC, Part 3 of Tender Document.
8	Sub-Clause 18.1 of GCC, Exceptional Event & Page no 93 of 231	...An Exceptional Event may comprise but is not limited to any of the following events or circumstances provided that conditions (i) to (iv) above are satisfied:(a) war, hostilities (whether war be declared or not), invasion, act of foreign enemies. (b) rebellion, terrorism, revolution, insurrection, military or usurped power, or civil war; (c) riot, commotion, disorder or sabotage by persons other than the Contractor's Personnel and other employees of the Contractor and Subcontractors. (d) strike or lockout not solely involving the Contractor's Personnel and other employees of the Contractor and Subcontractors; (e) encountering munitions of war, explosive materials, ionising radiation or contamination by radio-activity, except as may be attributable to the Contractor's use of such munitions, explosives, radiation or radio-activity; or (f) natural catastrophes such as earthquake, tsunami, volcanic activity, hurricane or typhoon.	Sub-Clause (f) may be modified as "natural catastrophes such as earthquake, tsunami, volcanic activity, hurricane or typhoon, cyclones, extremely adverse weather conditions, lightning, flood, cloud burst, landslide, fire or explosion (to the extent of originating from a source external to the Site), epidemic, act of God." Since the Project is vulnerable to such conditions, the bidder requests the Employer to cover these conditions in the PCC under Exceptional Event.	Tender conditions remain unchanged.
9	Part A- Contract Data Sub-Clause 2.1: Time for access to the Site & Page no 8 of 149	For access to the Site, refer Table 1: Access to the Site given at the end of Part A-Contract Data.	Kindly share the present status of chainage wise land acquisition for the Site as provided in Table 1.	Tender Documents are self explanatory.
10	Part A- Contract Data Table 1.2: Access to Formation Site & Page no 26 of 149	Notes: 2. The Contractor shall be responsible for removal of these structure, borewells & trees etc. However, permission for removal of above structure, borewell & tree etc. will be made available to the Contractor by HRIDC. Removal of electric poles will be done by HRIDC.	(i) In the event of any delay in getting the permission for removal of said structure, borewell & trees etc., for reasons beyond the control of the Contractor, the Contractor shall be excused for failure to perform its obligation and Extension of Time for Completion shall be granted to the Contractor. (ii) The bidder understands that all the cost towards removal of electric poles, shall be borne by HRIDC. Kindly clarify. (iii) In the event of any delay in removal of electric poles, for reasons beyond the control of the Contractor, the Contractor shall be excused for failure to perform its obligation and Extension of Time for Completion shall be granted to the Contractor.	(i) Tender Documents are self explanatory (ii) Refer Sub-Clause 10.46 of Appendix 10, Section VII-9: Employer's Requirements, Part 2-Tender Document. (iii) Tender Documents are self explanatory
11	Sub-Clause 2.4 of PCC- Employer's Financial Arrangements & Page no 31 of 149	In addition, if the Bank has notified to the Recipient that the Bank has suspended disbursements under its loan, which finances in whole or in part the execution of the Works, the Employer shall give notice of such suspension to the Contractor with detailed particulars, including the date of such notification, with a copy to the Engineer, within 7 days of the Recipient having received the suspension notification from the Bank. If alternative funds will be available in appropriate currencies to the Employer to continue making payments to the Contractor beyond a date 60 days after the date of Bank notification of the suspension, the Employer shall provide reasonable evidence in his notice of the extent to which such funds will be available.	1.The bidder requests to provide the arrangement for alternative source of funding in case of non-disbursement of funding by Bank. Also provide the safeguard mechanism to be adopted by the Employer to ensure timely payment in case of suspension due to non-availability of funding by the Bank. 2.Kindly confirm whether the damages prescribed under Sub-Clause 14.8 of GCC regarding Delayed Payment is applicable, in case of non-disbursement by the Bank. Kindly clarify.	1.Tender conditions remain unchanged. 2. Tender Documents are self explanatory.

CONTRACT PACKAGE C-6: REPLIES TO PRE-TENDER QUERIES (Set 1)_24.04.2024

Contract Package C-6 : Design and Construction of Civil Works (Earthwork, Bridges, Station Buildings, Retaining Walls & other miscellaneous Works) and General Electrical Services works from km 61.50 to km 126.03 between HORC station New Patli and IR station Harsana Kalan and connectivities from Badsa Station of HORC to existing IR Sultanpur station and Mandothi station of HORC to existing IR Asaudah Station in connection with laying of New BG Double Railway line of HORC Project.

S. No.	Reference to Tender Document (Clause/ Para No. & Page No.)	Brief Description of Clause/ Para No. (As quoted by the prospective Tenderer)	Query Raised	Reply of HRIDC
12	Sub-Clause 3.4 of GCC- Delegation by the Engineer & Page no 18 of 231	The Engineer may from time to time assign duties and delegate authority to assistants and may also revoke such assignment or delegation, by giving a Notice to the Parties, describing the assigned duties and the delegated authority of each assistant. The assignment, delegation or revocation shall not take effect until this Notice has been received by both Parties....	The Employer is requested to clarify the role of the "assistants" of the Engineer, shall any notices from the assistant be considered as notice from the Engineer? What are the duties and responsibilities of the "assistant" of the Engineer? Please elaborate.	Tender Documents are self explanatory. Tender Documents are self explanatory.
13		General	Kindly provide the Trolley refuse Drawing to better understanding of either Earthen Trolley Refuse or any other arrangement.	Refer Attachment 1 of Corrigendum No. 1
14		General	As the space between the KMP and new Rail line will be minimum, chance of erosion of bank due to storm water will be there. The method of protection of proposed bank may please be elaborated.	Refer Sub-Clause 3.3 of Section VII-5: Employer's Requirements -Outline Design Specifications (ODS) – Civil & BLT, Part 2 of Tender Document.
15		General	The proposed under-pass in lieu of LC at Chainage KM 61.8 and at new connecting lines to Sultanpur (Bridge No. 4B) Drg. Not yet finalized. Hence it is presumed that this will be in Schedule-B. Please confirm.	Refer Attachment 1 of Corrigendum No. 1.
16		General	During Site visit, it was noticed that at two locations (KMP Crossing & NH Crossing) of proposed Track, existing Roads are required to be regraded. This work is complex in nature and required lot of additional items during construction. Bidder understands that all items will be paid under Schedule-B. Please confirm.	Refer Annexure 'F-7' of Section VII 2: Employer's Requirements – Functional , Part 2 of Tender Document.
17		General	As the locally available natural soil is highly erodible in nature, need special slope protection. Hence bidder understands that side slope protection as per site condition should be considered and paid in Schedule-B. Please confirm.	Refer Sub-Clause 2.1.4 of Section VII 2: Employer's Requirements – Functional , Part 2 of Tender Document.
18		General	The complete details of proposed Bridge No. 303 are not available, the scope between Bridge No. 302 & Bridge No. 304 could not be properly assessed by the bidder. Hence bidder understands that scope between Bridge No. 302 to 304 should be considered and paid in Schedule-B. Please confirm.	Refer Attachment 1 of Corrigendum No. 1.
19		General	Is the proposed Project Site coming under litigation concerning Environmental & Social issues? Please clarify.	Refer Clause 1.2 of Section VII-1: Employer's Requirements– General, Part 2 of Tender Document.
20		General	Kindly provide the details of all pending litigation against the Project, if any.	Tender Documents are self explanatory.
21		General	Does the Project stretch pass through any forest?	Refer Sub-Clause 1.2 of Section VII-1: Employer's Requirements– General, Part 2 of Tender Document.
22		Forest Clearance	Request the Employer to kindly provide the details of Forest land to be diverted, if any, and present status of Forest Clearance required.	Refer Sub-Clause 1.2 of Section VII-1: Employer's Requirements– General, Part 2 of Tender Document.
23		Wildlife Clearance	Please clarify whether the project is in or nearby Wildlife/ National Park/ Sanctuary/ Eco Sensitive Zone Land. If Yes, has the Employer applied for National Board for Wildlife Clearance? Kindly clarify the present status.	Refer Clause 1.2 of Section VII-1: Employer's Requirements– General, Part 2 of Tender Document.

CONTRACT PACKAGE C-6: REPLIES TO PRE-TENDER QUERIES (Set 1)_24.04.2024

Contract Package C-6 : Design and Construction of Civil Works (Earthwork, Bridges, Station Buildings, Retaining Walls & other miscellaneous Works) and General Electrical Services works from km 61.50 to km 126.03 between HORC station New Patli and IR station Harsana Kalan and connectivities from Badsa Station of HORC to existing IR Sultanpur station and Mandothi station of HORC to existing IR Asaudah Station in connection with laying of New BG Double Railway line of HORC Project.

S. No.	Reference to Tender Document (Clause/ Para No. & Page No.)	Brief Description of Clause/ Para No. (As quoted by the prospective Tenderer)	Query Raised	Reply of HRIDC
24		General	Does the project traverse through or in close proximity to Important Bird Areas (IBAs)? Please provide the status of bird sanctuary clearances.	Tender Documents are self explanatory.
25		General	Given the context of activities involving infringement with the existing movement (such as NH Crossing, KMP Crossing, IR Crossing, and Canal crossing), the Authority is requested to consider a 50% additional rate mentioned in Schedule B for the items actual executed quantities.	Tender conditions remain unchanged.
26	C6RFPPART2ER- Section VII 2: Employer's Requirements – Functional, ANNEXURE-F-1, LIST OF MINOR BRIDGES, Pg. No-39	LIST OF MINOR BRIDGES	MNB no 251, 209 etc with 10mtr single span is given in Tender Document while RDSO drawing for that box bridge span is not available. Please clarify.	Refer Sub-Clause 4.3 (d) of Section VII-5: Employer's Requirements -Outline Design Specifications (ODS) – Civil & BLT, Part 2 of Tender Document.
27	C6RFPPART2ER- Section VII 2: Employer's Requirements – Functional, ANNEXURE-F-6/2, Pg. No.- 59	LIST OF MAJOR BRIDGES	If required Bow Sting bridge can be considered or not, as DFCCIL is already using it. Please clarify.	Refer Sub-Clause 4.3 (b) of Section VII-5: Employer's Requirements -Outline Design Specifications (ODS) – Civil & BLT, Part 2 of Tender Document.
28	C6RFPPART2ER- Section VII 2: Employer's Requirements – Functional, Cl-2.2, Scope under BOQ Schedule 'B', Pg. No.- 35	Construction of Ballastless Track (BLT) on major bridges (OWG) Nos. 155, 195, 199, 200, 242, 257, 267, 273, 287, 300, 303, 304, 343, 346, 375, 384, 5C & 5D including supplying, flash butt welding & fixing rails and track fittings complete in all respect. This shall also include transition from ballastless track to ballasted track on approaches & derailment guard.	RDSO drawing for BLT track on composite girder is not available. So if contractor have to design the same then some changes may be done in girder system also irrespective of RDSO drawing for composite girder. Please clarify.	Refer Sub-Clause 4.2.1 (i) & 4.3 a) xii of Section VII-5: Employer's Requirements -Outline Design Specifications (ODS) – Civil & BLT, Part 2 of Tender Document.
29	C6RFPPFINANCIALPART- Cl.- 5- Price Schedule, Pg No.- 18	Price Schedule	Work of degradation of existing Road in order to maintain min. required vertical clearance and temporary arrangements like diversions, barricading etc for the execution of the same work will be paid under which schedule. Please clarify.	Refer Sub-Clause 2.1.19, 2.1.20, 2.1.24 and Annexure F-7 of Section VII 2: Employer's Requirements – Functional, Part 2 of Tender Document.
30	Section VII-1 : Employer's Requirements-General, Clause 1.2 (Forest & Environmental Clearance). Pg. No. 04.	Protected Forest clearance will be taken by the Employer which is under process. Aravalli clearance is not required. Permission for cutting of trees (within ROW) wherever required will be obtained by the Employer.	(i) It is requested to confirm the total number of trees are getting affected? (ii) It is requested to provide the deadline for obtaining forest clearance, and how much of the protected forest area will be impacted in terms of the length of the ROW ?	(i) Refer Item No. 5 Indicative List of Existing Trees to be cut by the Contractor of Section VII-8B: Documents, Part 2 of Tender Document. (ii) Refer Sub-Clause 1.2 of Section VII-1: Employer's Requirements– General, Part 2 of Tender Document.
31	Section VII-1 : Employer's Requirements-General, Clause 11.3 (b) (Construction Interface). Pg. No. 20The Contractor shall, unless otherwise provided, be liable for and shall indemnify the Employer against all costs, charges, expenses and the like resulting from failure of the Contractor to co-ordinate the Works as specified.	It is requested to incorporate a parallel provision as follows: "The Employer shall, unless otherwise specified, assume liability and indemnify the Contractor against all costs, charges, expenses, and related matters arising from actions by the Interface Contractor." This addition will help balance the risk allocation between the parties involved in the project.	Tender conditions remain unchanged.
32	Section VII-1 : Employer's Requirements-General, Clause 14 (Project Management and Information System).	The Employer is using SPEED (Systematic Program Evaluation for Efficient Delivery of Project) software for Project Management. The Contractor shall use the SPEED Software for Project Management for which access will be made available by the Employer to the Contractor free of cost. Necessary Training in software for Contractor's staff will be arranged by the Employer.	The Bidder understands that "SPEED" software and its installation & training to be provided by the Employer free of cost.	Tender Documents are self explanatory.
33	Section VII-2 : Employer's Requirements-Functional, Clause 1.4 (General). Pg. No 2	The Contractor shall be responsible for obtaining all necessary approvals from the relevant Public/Government/Local/Statutory or any agencies in the design and construction of the Works at his own cost.	The Bidder understands that the employer will facilitate/ assist the Contractor in obtaining all these necessary approvals from Public Authorities ?	Refer Clause 2 of Section VII-5: Employer's Requirements -Outline Design Specifications (ODS) – Civil & BLT, Part 2 of Tender Document.

CONTRACT PACKAGE C-6: REPLIES TO PRE-TENDER QUERIES (Set 1)_24.04.2024

Contract Package C-6 : Design and Construction of Civil Works (Earthwork, Bridges, Station Buildings, Retaining Walls & other miscellaneous Works) and General Electrical Services works from km 61.50 to km 126.03 between HORC station New Patli and IR station Harsana Kalan and connectivities from Badsa Station of HORC to existing IR Sultanpur station and Mandothi station of HORC to existing IR Asaudah Station in connection with laying of New BG Double Railway line of HORC Project.

S. No.	Reference to Tender Document (Clause/ Para No. & Page No.)	Brief Description of Clause/ Para No. (As quoted by the prospective Tenderer)	Query Raised	Reply of HRIDC
34	Section IX - Particular Conditions of Contract (PCC), Sub-Clause 4.10, Use of Site Data. Pg. No. 40Add at the end of paragraph 1 of Sub-Clause 4.10. "Accordingly, the Contractor shall have no claim in this regard." In paragraph 2 of Sub-Clause 4.10. Delete the words "To the extent which was practicable (taking account of cost and time)". Start the word "the" with a capital letter Delete "To the same extent" from the fourth line and start the word "the" with a capital letter....	It is requested to maintain this provision in line with the GCC, the FIDIC Yellow Book 2017, to preserve the balance of risk.	Tender conditions remain unchanged.
35	Section IX - Particular Conditions of Contract (PCC). Table 1.2 : Access to Formation Site. Sr. No 2 of 'Notes' , Pg. No. 26Removal of Electric Poles will be done by HRIDC.	The bidder understands that HRIDC will remove all electric poles in the Site regardless of their voltage.	Tender Documents are self explanatory.
36	Section IX - Particular Conditions of Contract (PCC), Cl 4.24.4 Obtaining natural resource materials in relation to supplier. Pg. No. 44	The Contractor shall obtain natural resource materials from suppliers that can demonstrate, through compliance with the applicable verification and/ or certification requirements, that obtaining such materials is not contributing to the risk of significant conversion or significant degradation of natural or critical habitats such as unsustainably harvested wood products, gravel or sand extraction from riverbeds or beaches.	It is requested to exclude this provision. Otherwise, to provide details of the documents/sample copy already being used by the supplier in ongoing projects or provide the list or complied suppliers are being engaged in the ongoing projects .	Tender conditions remain unchanged.
37	Section IV-Tender Forms, Appendix B to Financial Part: Price Schedules, Cl: 3 .2 Measurement and Payment, Pg. No 158	If during execution of the Contract, it is decided by the Employer/Engineer that one or more items of Work/Milestone of a Cost Centre in a particular Price Schedule is not required to be executed, the proportionate amount against that particular Item of Work/Milestones shall not be paid. No claim by the Contractor on this account shall be payable by the Employer. The Engineer's decision in this regard shall be final.	The term "one or more items" is vague. According to the provision, scope reduction can be extensive because "one or more items" has no defined limit. Therefore, it is requested to establish a specific limit for scope reduction in this instance.	Tender Conditions remain unchanged.
38	C6RFPPART2ER, Section VII-9: Employers' Requirements -Appendices, 6.0 & 6.2 & 6.3.5 ENVIRONMENT AND SOCIAL MANAGEMENT, b) Tree Felling Page No. 787	All trees and shrubs, which are not specifically required to be cleared or removed for construction purposes, shall be preserved and protected from any damage by use of protective barriers or other methods approved by Engineer;	1.Please provide the details of trees to be cut down along with their girth size. 2.Numerous fruit farms were identified along the alignments. Bidder presumes that the client will provide the ROW with all compensation & clearances completed	1. Refer Item No. 5 Indicative List of Existing Trees to be cut by the Contractor of Section VII-8B: Documents, Sub-Clause ITT 7.2 of Section II-TDS, Part 1 of Tender Document and Sub-Clause 1.1 of Section VII 2: Employer's Requirements – Functional, Part 2 of Tender Document. 2. Refer Sub-Clause 10.14 of Appendix 9 Section VII-9: Employer's Requirements-Appendices, Part 2 of Tender Document. .
39	C6RFPPART2ER, Section VII-9: Employers' Requirements -Appendices, 10.46.2 Charted Utilities	LT and HT Crossing, EHT lines	Kindly provide the present status of these utility shifting	Tender Documents are self explanatory.
40	C6_Section VII-8 Tender Drawings & Documents, 10.46.9 The relocation/removal/diversion of identified Uncharted Utilities	Any relocation/removal/diversion of Charted Utility shall be entirely the Contractor's responsibility and any cost on this account shall be borne by the Contractor.	1.If any unforeseen overhead crossing utility emerges and requires relocation, the bidder acknowledges that the authority will acquire and cover the compensation costs for acquiring land necessary to relocate towers outside the Right of Way. 2. Some OFC lines were observed along the alignment. The bidder understands that the same will be shifted by client /UOD.	1. Tender conditions are self explanatory. 2. Refer Sub-Clause 10.46 of Appendix 10, Section VII-9: Appendices, Part 2 of Tender Document.
41	Underground Utilities		Bidder requests the Authority to provide the details of the Underground utilities with its Depth, Type of the pipeline, Diameter and Vintage (If any crossing)	Refer Sub-Clause 10.46 Appendix 10, Section VII-9: Employer's Requirements-Appendices, Part 2 of Tender Document.
42	C6RFPPART2ER, 10.14 Site Clearance, Page No. 690	Section VII-9: Employer's Requirements-Appendices	Bidder requests the Authority to provide the dimensions(Sqm) of the buildings & the extent of building dismantling within the proposed ROW.	Refer Sub-Clause ITT 7.2 of Section I ITT and Sub-Clause 7.1 Section II TDS of Part 1 of Tender Document and Item No. 4. Indicative list of existing structures to be dismantled, VII-8B Tender Documents, Part 2 of Tender Document.

CONTRACT PACKAGE C-6: REPLIES TO PRE-TENDER QUERIES (Set 1)_24.04.2024

Contract Package C-6 : Design and Construction of Civil Works (Earthwork, Bridges, Station Buildings, Retaining Walls & other miscellaneous Works) and General Electrical Services works from km 61.50 to km 126.03 between HORC station New Patli and IR station Harsana Kalan and connectivities from Badsa Station of HORC to existing IR Sultanpur station and Mandothi station of HORC to existing IR Asaudah Station in connection with laying of New BG Double Railway line of HORC Project.

S. No.	Reference to Tender Document (Clause/ Para No. & Page No.)	Brief Description of Clause/ Para No. (As quoted by the prospective Tenderer)	Query Raised	Reply of HRIDC
43	C6RFPPART3, Sub-Clause 4.23, Archaeological and Geological Findings, Section IX - Particular Conditions of Contract (PCC), Page No. 43	All fossils, coins, articles of value or antiquity, structures, groups of structures, and other remains or items of geological, archaeological, paleontological, historical, architectural or religious interest found on the Site shall be placed under the care and custody of the Employer	Bidder requests the Authority to furnish detailed information regarding any religious or historical structures, specifying their sizes in square meters (SQM)	Refer Sub-Clause ITT 7.2 of Section I ITT and Sub-Clause ITT 7.2 Section II TDS of Part 1 of Tender Document and Sub-Clause 1.1 of Section VII 2: Employer's Requirements – Functional, Part 2 of Tender Document.
44	General	General	Bidder requests the Authority to provide the DPR/ Feasibility Report.	Tender conditions remain unchanged.
45	General	General	Bidder requests the Authority to provide details on the present status of the Land Acquisition Status of payment made to landowners/competent authority. Details of land in actual possession Also, Timelines for Acquisition of Required land in Possession	Refer Sub-Clause 2.1 of Part A-Contract Data, Section IX-PCC, Part 3 of Tender Document
46	Filename: C5RFPPART2ER, Section VII-2, Cl.2.1.18, Page no: 7. (pdf Pg- 32)	Traffic management: Any road widening / diversion along with associated drainage system required to facilitate the movement of traffic and their repair & maintenance shall also be carried out by the Contractor.	Kindly provide list of all access roads under scope of works and their respective TCSSs.	Refer Sub-Clause ITT 7.2 of Section I ITT and Sub-Clause ITT 7.2 Section II TDS of Part 1 of Tender Document and Sub-Clause 1.1 of Section VII 2: Employer's Requirements – Functional, Part 2 of Tender Document.
47	Section VII-8: Tender Drawings and documents	Conceptual general arrangement drawings	This being a Design Build Contract, The bidder understands that the freedom of choosing the type of superstructure lies with the Contractor. Kindly Confirm.	Tender Documents are self explanatory.
48	Section VII-8: Tender Drawings and Documents, Conceptual sketch for single and double lane road	Typical cross-section in the cited clause shows, 1) Pavement crust details for Single Lane road with footpath 2) Pavement crust details for Double lane road with footpath	The bidder understands that the pavement crust shown in the cross-sections shall be adopted by the contractor, as per RFP. Kindly confirm.	Tender Documents are self explanatory.
49	Section VII 2: Employer's Requirements – Functional_ Clause: 2.6(Dimensions), Page No: 11	As regards errors, omissions and discrepancies in Specifications and Tender drawings, relevant clauses of Particular Specification will apply. The levels, measurements and other information concerning the existing Site as shown on the conceptual / layout drawings are believed to be correct, but the Contractor shall verify them for himself and examine the nature of the ground as no claim or allowance whatsoever shall be entertained on account of any errors or omissions in the levels or strata turning out different from what is shown on Tender drawings.	The statement, "... the Contractor shall verify them for himself and examine the nature of the ground as no claim or allowance whatsoever shall be entertained on account of any errors or omissions in the levels or strata turning out different from what is shown on Tender drawings." This changes the fundamentals of the Plan and Profile design. The Employer should appreciate that changes in existing OGL/Road Levels/ Existing Rail Levels/ levels of obligatory structures shall have a significant impact on the plan & profile drawings. Therefore, the design of the same based on the actual topography survey shall be taken up by the successful bidder and shall be submitted for approval. Or if the Employer doesnot warrants any change in the P&P drawings, the bidder requests to kindly make provisons for variations with regard to ground levels if any.	Tender conditions remain unchanged.
50	Section VII- 2 ER – Functional Clause 1.3, Pg -1	The Permanent Works shall be designed and constructed to the highest standards available using proven up-to-date good engineering practices.	The bidder understands that the up-to-date good engineering practices are the relevant clauses of the relevant codes and standards being followed in Indian Railways. Kindly confirm.	Tender Documents are self explanatory.
51	Section VII- 2 ER – Functional Clause 2.8.2, Pg -11	The Contractor is permitted to propose minor deviations in alignment to suit his construction proposals, but he must demonstrate that any such deviations shall comply with good design practice and the alignment requirement of the Design Criteria.	The bidder understands that this being a EPC Contract, the successful bidder will have the liberty to modify the alignment design as per site requirement confirming to codal requirements. Kindly Confirm	Tender Documents are self explanatory.
52	Section VII – 5: ER-ODS – Civil & BLT Clause no 2, Page no: 6	ROW shall be taken as per conceptual Plan and L-section provided in Tender drawings.	Request to kindly provide the on -coordinate CAD files of alignment for plotting the ROW as per Tender drawings.	Tender drawings in Pdf are already provided in Section VII-8, Tender Drawing and Documents, Part 2 - Employer's Requirements.
53	Section VII – 5: ER-ODS – Civil & BLT Clause no 2.2, Page no: 6	All codes & standards shall be of latest revision including all amendments & corrections.	The bidder understands that all codes & standards shall be applicable which are published before the base date i.e. date of issue of Tender. Kindly confirm.	Refer Sub-Clause 11.1 of Section VII-5: Employer's Requirements -Outline Design Specifications (ODS) – Civil & BLT.

CONTRACT PACKAGE C-6: REPLIES TO PRE-TENDER QUERIES (Set 1)_24.04.2024

Contract Package C-6 : Design and Construction of Civil Works (Earthwork, Bridges, Station Buildings, Retaining Walls & other miscellaneous Works) and General Electrical Services works from km 61.50 to km 126.03 between HORC station New Patli and IR station Harsana Kalan and connectivities from Badsa Station of HORC to existing IR Sultanpur station and Mandothi station of HORC to existing IR Asaudah Station in connection with laying of New BG Double Railway line of HORC Project.

S. No.	Reference to Tender Document (Clause/ Para No. & Page No.)	Brief Description of Clause/ Para No. (As quoted by the prospective Tenderer)	Query Raised	Reply of HRIDC
54	Section VII- 2 ER – Functional Clause 1.3, Pg -2	The Permanent Works shall be designed and constructed to the highest standards available using proven up-to-date good engineering practices.	The bidder understands that the up-to-date good engineering practices are the relevant clauses of the relevant codes and standards being followed in Indian Railways. Kindly confirm.	Tender Documents are self explanatory.
55	Section VII- 2 ER – Functional Clause 2.1.5, Pg -4	The Contractor shall design and construct precast RCC longitudinal drains on berms of embankments to collect surface runoff from the slope. Precast RCC chute drains shall be provided at approximately every 50 m for collecting water from drains on berms and discharging it safely away from toe of embankments as shown in the Tender drawings.	The bidder understands that the type of drains given are indicative. Request authority to allow contractor to design and choose the type of drain as per relevant codal provisions.	Tender Documents are self explanatory. Tender conditions remain unchanged.
56	General	Hydrology Report of major Bridges, Minor Bridges on Stream/Nallah/River crossing	Kindly Provide the Hydrology report includes: HFL, Velocity, Scour calculation and Protection work.	Refer Sub-Clause 10.25 of Appendix 10, Section VII-9: Employer's Requirements-Appendices, Part 2 of Tender Document. Refer Sub-Clause ITT 7.2 of Section II-TDS, Part 1 of Tender Document and Sub-Clause 1.1 of Section VII 2: Employer's Requirements – Functional, Part 2 of Tender Document.
57	Section VII-8A/Miscellaneous drawings/SI.No. 7/pg. no. 20	"Conceptual Plan for ground improvement for embankment at Pond/water logged area-Drawing no. GC-HRIDC-C6-SK-GEN-037"	Mentioned drawing no. is not available in tender document. Hence, requested to provide Pond/water logged area drainage scheme.	Refer Attachment 1 of Corrigendum No. 1
58	Section VII-8A/Miscellaneous drawings/SI.No. 43/pg. no. 20	"Conceptual Plan drains between HORC embankment & KMP-Drawing no. GC-HRIDC-C6-SK-GEN-041_A1"	Mentioned drawing no. is not available in tender document. Hence, requested to provide the conceptual drain plan drawing.	Refer Attachment 1 of Corrigendum No. 1
59	Cl 3.3.2-part 'g' Pg 12, Cl 4.2.1-part (xiv) Pg 16, Cl 4.2.2-part (xiv) Pg 17, Cl 4.2.3-part (viii) Pg 18, Cl 4.2.4-part (iv) Pg 18, Cl 4.2.6-part (iv) Pg 19 and Cl 4.10.2 Pg 45, Section VII-5, Employer's Requirements - Outline design Specifications.	Cl 3.3.2-part 'g' Specifies that "Suitability of subsoil below formation shall be ensured before starting of earthwork in formation as per RDSO guidelines. Ground improvement shall be adopted in case soft soil is encountered after investigations". Cl 4.2.1 part (xiv), Cl 4.2.2-part (xiv), Cl 4.2.3-part (viii), Cl 4.2.4-part (iv), Cl 4.2.6-part (iv) all Specifies that "Ground improvement technique/procedures, if required according to the GT data and design requirements along with the method of verification of the bearing capacity after implementation of ground improvement technique". Cl 4.10.2 Specifies "Soil replacement may be proposed where susceptibility for liquification is up to 4m depth below the ground. Soil replacement shall be done at least up to the liquification depth. Width/length of soil replacement shall be at least equal to width/length of foundation plus twice the depth of replacement below founding level".	Soil replacement or any other technique can be adopted for ground improvement to enhance SBC and to mitigate liquefaction at bridge shallow foundations, formations and below box structures. Please confirm.	Tender conditions remain unchanged.
60	Cl. No 2.1.2 (iii) of Section VII 2 : Employer's Requirement – Functional Page no 3	Payment matrix for design of bridges, viaduct, temporary diversion, permanent diversions, widening, of existing roads, restoration of existing roads and diversion of canals/nallah is given in Annexure F-7	Kindly provide the chainages and length of Permanent Diversion roads, widening of existing roads considered in scope of work.	Refer Sub-Clause 1.1 of Section VII-2: Employer's Requirements-Functional and Sub-Clause ITT 7.1 of Section II, TDS, Part 1 of Tender Document.
61	Section VII-6: Employer's Requirements - Outline Construction Specifications (OCS) – Civil & BLT, Cl. 3.6.8 (i) Pile integrity Test	a) Low Strain Method. Pile integrity test shall be carried out on 60% piles by The Low Strain Method as per IS 14893:2001. In case of large diameter piles, the tests shall be conducted at 5-6 places to cover the entire section of the pile. Cross Hole Sonic Logging Test. Pile integrity test by Cross Hole Sonic Logging test as per ASTM D 6760 shall be carried out on 40% piles	Bidder request to delete scope of Cross Hole Sonic logging test & keep provision for Low strain method for integrity testing.	Tender conditions remain unchanged,
62	Section IX - Particular Conditions of Contract (PCC) Part A	Defects Notification Period : (i) 365 days calculated from the date of issue of Taking-Over Certificate for the Works or for part of the Works other than BLT work (ii) 1095 days calculated from the date of issue of Taking-Over Certificate for BLT works	As DNP for major scope of the works is 365 days & the DNP for BLT works is 1095 days which is a minor part of the scope. Bidder has to wait for DNP for an additional 2 years for small part of the work which will have high cost implication. For this Bidder request to make the DNP for entire scope of the works as 365 days from the date of issue of Taking over Certificate.	Tender conditions remain unchanged.

CONTRACT PACKAGE C-6: REPLIES TO PRE-TENDER QUERIES (Set 1)_24.04.2024

Contract Package C-6 : Design and Construction of Civil Works (Earthwork, Bridges, Station Buildings, Retaining Walls & other miscellaneous Works) and General Electrical Services works from km 61.50 to km 126.03 between HORC station New Patli and IR station Harsana Kalan and connectivities from Badsa Station of HORC to existing IR Sultanpur station and Mandothi station of HORC to existing IR Asaudah Station in connection with laying of New BG Double Railway line of HORC Project.

S. No.	Reference to Tender Document (Clause/ Para No. & Page No.)	Brief Description of Clause/ Para No. (As quoted by the prospective Tenderer)	Query Raised	Reply of HRIDC
63	Section IV-Tender Forms. Cl. 5.2.2 Stages of Payment i.e. Milestones of Cost Centre 'CE'- Earthwork and Blanketing	CE-Earthwork and Blanketing	The payment for Earthwork is done upon completion of a kilometer in complete, this leads to negative cash flow for which bidder suggests a modification in the payment method for Earthworks in line with Indian Railway Tender document which is attached as Annexure-1	Refer Sub-Clause 3.10 of Appendix B to Financial Part: Price Schedules, Section IV: Tender Forms, Part 2 of Tender Document.
64	Section IV-Tender Forms. Cl. 5.2.3 Milestones of Cost Centre 'CB'- for Bridges	CB- Bridges	The payment for Minor bridges is done upon completion of bridges in a kilometer in complete i.e after completion of 3-4 minor structure in complete, this leads to negative cash flow for which bidder suggests a modification in the payment method for each Minor Bridges in a kilometer in line with Indian Railway Tender document which is attached as Annexure-1	Refer Sub-Clause 3.10 of Appendix B to Financial Part: Price Schedules, Section IV: Tender Forms, Part 2 of Tender Document.
65	RFP Part-1, Section 3, Evaluation & Qualification Criteria, Cl. 3.3.1, Financial Capabilities, Pg. 60	Financial Capabilities	Bidder requests the authority to include criteria of Profitability to measure the soundness of the contractor's financial position as follows: "Positive Profit After Taxes (PAT) with no history of Corporate and Strategic Debt Restructuring during the last three financial years from 2020-21 to 28 days prior to deadline of Tender submission"	Tender conditions remain unchanged.
66	RFP Part-1, Section 3, Evaluation & Qualification Criteria, Cl. 3.4.2 (i), Specific Construction Experience in Key Activities, Pg. 65	Construction of minimum 2.0 km cumulative length of viaducts / Bridges in one contract of infrastructure project in "Railway Project"/ Road Project.	Bidder requests the authority to modify the referred clause as follows, considering the weightage of OWG Structures; (i)Construction of minimum 2 km cumulative length of Viaducts/ Bridges with atleast 1 steel super structure span of 76m or more in one contract of infrastructure project in Railway/Road Project.	Tender conditions remain unchanged.
67	RFP Part-1, Section 3, Evaluation & Qualification Criteria, Cl. 3.4.2 (i), Specific Construction Experience in Key Activities	Specific Construction Experience in Key Activities	Bidder requests the authority to include criteria of Execution of Ballast less Track considering the scope of works as follows: "Execution of BLT for a 1 Km in one contract of infrastructure project in "Railway Project"	Tender conditions remain unchanged.
68	As per site visit dated, 03.04.2024	NHAI Road (Delhi Rohtak Corridor) is to be regraded near IR – HORC Asaudah connectivity	The bidder understands that the entire regarding work for this road including diversion is covered under Schedule B. Kindly confirm. Please provide the Plan and Profile of existing IR at both IR connectivity.	Refer Annexure F-7 of Section VII-2: Employer's Requirements – Functional, Part 2 of Tender Document. Refer Sub-Clause 1.1 of Section VII-2: Employer's Requirements-Functional and Sub-Clause ITT 7.1 of Section II, TDS, Part 1 of Tender Document.
69	As per site visit dated, 03.04.2024	NHAI Road (Delhi Rohtak Corridor) is to be regraded near IR – HORC Asaudah connectivity	Please provide the Plan and Profile and available ROW of NHAI Road (Delhi Rohtak Corridor) for design of regarding works.	Refer Sub-Clause 7. 2 of Section II, TDS, Part 1 of Tender Document and Sub-Clause 1.1 of Section VII 2: Employer's Requirements – Functional, Part 2 of Tender Document.
70	As per site visit dated, 03.04.2024	At chainage 92+000, KMP access road is to be regraded and shifted for Traffic management	The bidder understands that the entire regarding works of KMP roads at this chainage in covered under schedule B. Kindly Confirm.	Refer Annexure F-7 of Section VII-2: Employer's Requirements – Functional, Part 2 of Tender Document.
71	As per site visit dated, 03.04.2024	At chainage 92+000, KMP access road is to be regraded and shifted for Traffic management	Please provide the Plan and Profile and available ROW of KMP expressway to understand the available space for diversion plan of KMP interchange at this location and regrading of existing KMP ramp to VUP.	Refer Sub-Clause 7. 2 of Section II, TDS, Part 1 of Tender Document and Sub-Clause 1.1 of Section VII 2: Employer's Requirements – Functional, Part 2 of Tender Document.
72	General		The site survey was conducted from the client on 03.04.24. Considering this the bidder requests the authority to give provision to submit second set of pre bid queries.	Tender conditions remain unchanged.

CONTRACT PACKAGE C-6: REPLIES TO PRE-TENDER QUERIES (Set 1)_24.04.2024

Contract Package C-6 : Design and Construction of Civil Works (Earthwork, Bridges, Station Buildings, Retaining Walls & other miscellaneous Works) and General Electrical Services works from km 61.50 to km 126.03 between HORC station New Patli and IR station Harsana Kalan and connectivities from Badsa Station of HORC to existing IR Sultanpur station and Mandothi station of HORC to existing IR Asaudah Station in connection with laying of New BG Double Railway line of HORC Project.

S. No.	Reference to Tender Document (Clause/ Para No. & Page No.)	Brief Description of Clause/ Para No. (As quoted by the prospective Tenderer)	Query Raised	Reply of HRIDC
73	Section III. Evaluation and Qualification Criteria Clause No 3.4.2 (b) Specific Construction Experience in Key Activities Page No. 65	Participation, as a Prime Contractor, Joint venture member or Management Contractor or Sub-Contractor in: (i), (ii) and (iii). The key activities mentioned in (i), (ii) and (iii) above should have been executed in completed / Ongoing contractl 2 since 1st April 2017 till 28 days prior to deadline of Tender submission. (i) Construction of minimum 2.0 km cumulative length10 of viaducts /Bridges in one contract of infrastructure project in "Railway Project"/ Road Project. AND (ii) Execution of mm1mumequivalent length of 10,000 RM Pile foundation (of minimum dia.1000 mm)/Wellll foundation in one contract of infrastructure project in "Railway Project"/ Road Project. AND (iii) Execution of Earthwork information for 2.0 million cum in one contract of infrastructure project in "Railway Project"/ Road Project. Note: Earthwork in formation/ cutting, Blanketing, GSB/WMM in Railway /Road projects will be considered as part of Earthwork.	We request for modification in Specific Construction Experience in Key Activities as below Participation, as a Prime Contractor, Joint venture member or Management Contractor or Sub-Contractor in: (i), (ii) and (iii). The key activities mentioned in (i), (ii) and (iii) above should have been executed in completed / Ongoing contract since 1st April 2 017 till 28 days prior to deadline of Tender submission. (i) Construction of minimum 2.0 km cumulative length10 of viaducts/ Bridges in one contract of infrastructure project in "Railway Project"/ Road Project. AND (ii) Execution of minimum equivalent length of 10,000 RM Pile foundation (of minimum dia.1000 mm)/Well foundation in one contract of infrastructure project in "Railway Project"/ Road Project. AND (iii) Execution of Earthwork in formation for 1.8 million cum in one contract or 2.0 million cum in two contracts of infrastructure project in "Railway Project"/ Road Project. Note: Earthwork in formation/cutting, Blanketing, GSB/WMM in Railway /Road projects will be considered as part of Earthwork.	Tender conditions remain unchanged.
74	General	General	Please provide KMZ file	KMZ file is available on HRIDC website for reference only.
75	Financial Capabilities RFP Part 1, Section 3, Evaluation & Qualification Criteria, Clause 3 Qualification Criteria, Sub-clause 3.3.1, Page 61-62	(ii) The Tenderer must demonstrate the current soundness of its financial position and indicate its prospective long-term profitability. As a minimum, a) Average Net-Worth (Total Assets - Total Liabilities)* during the last three (03) financial years (FY: 2021-22, 2022-23 and 2023-24) should be positive and b) the Net-worth during the last financial year (FY 2023-24) should be positive.	In addition to the clause given for Net-Worth, we request to also add Criteria of Profitability like Positive PAT for the last 3 Financial years for measurement of soundness of the contractor's financial position. We suggest to add clause (c) as per below mentioned criteria (c) Positive PAT with no history of Corporate and Strategic Debt Restructuring during the last three year financial years.	Tender Conditions remain unchanged.
76	Section III. Evaluation and Qualification Criteria 3 Qualification Criteria Clause 3.3.1 Page :- 57	Financial Capabilities (i) The Tenderer shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means(independent of any contractual advance payment) sufficient to meet the construction cash flow requirements estimated as INR 1600.00 million or the equivalent amount in a freely convertible currency (for the subject contract (i.e. C-6). (ii) a) Average Net-Worth (Total Assets – Total Liabilities)* during the last three (03) financial years (FY: 2021-22, 2022-23 and 2023-24) should be positive and b) the Net-worth during the last financial year (FY 2023-24) should be positive.	In case the Audited Balance Sheet of the Bidder of latest Financial year is Not Available in such case the bidder can provide last year financial Data as applicable, please confirm.	Refer Notes (v), (vi) and (vii) of Form FIN 3.3.1 of Section IV: Tender Forms , Part 1 of Tender Document.
77	Section III.Evaluation and Qualification Criteria 3 QualificationCriteria Clause 3.3.2 Page :- 60	Average Annual Construction Turnover Minimum average annual construction turnover of INR 9500.00 million or the equivalent amount in a freely convertible currency, calculated as total certified payments received for contracts in progress and/or completed within the last three financial years (FY: 2021 - 22, 2022-23 and 2023-24) divided by three.	In case the Audited Balance Sheet of the Bidder of latest Financial year is Not Available in such case the bidder can provide last year financial Data as applicable, please confirm.	Refer Notes (vi), (vii) and (viii) of Form FIN 3.3.2 of Section IV: Tender Forms , Part 1 of Tender Document.
78	Section IV Tender Forms Tender Security Form of Demand Guarantee	Beneficiary: Haryana Rail Infrastructure Development Corporation Limited, IRCON Tower-2, 3r Floor, Plot No. 16, Sector-32, Gurugram, Haryana-122003	We presume that the Beneficiary detail for preparation of Bank Guarantee is applicable as mentioned herein as in clause ITT 1.1 of Section II - Tender Data Sheet (TDS) states as mentioned below :- "The Employer is: Haryana Orbital Rail Corporation Limited (HORCL) " Please Confirm.	Refer Sub-Clause ITT 19.3 of Section II: TDS, Part 1 of Tender Document.

CONTRACT PACKAGE C-6: REPLIES TO PRE-TENDER QUERIES (Set 1)_24.04.2024

Contract Package C-6 : Design and Construction of Civil Works (Earthwork, Bridges, Station Buildings, Retaining Walls & other miscellaneous Works) and General Electrical Services works from km 61.50 to km 126.03 between HORC station New Patli and IR station Harsana Kalan and connectivities from Badsa Station of HORC to existing IR Sultanpur station and Mandothi station of HORC to existing IR Asaudah Station in connection with laying of New BG Double Railway line of HORC Project.

S. No.	Reference to Tender Document (Clause/ Para No. & Page No.)	Brief Description of Clause/ Para No. (As quoted by the prospective Tenderer)	Query Raised	Reply of HRIDC
79	Clause 19.3 Section II Tender Data Sheet Page 37	<p>(First Para) The scheduled bank issuing the bank guarantee shall be on "Structure Financial Messaging System (SFMS)" platform. A separate advice of the Bank Guarantee shall invariably be sent by the issuing bank to the Employer's Bank through SFMS and only after receipt of the same by the Employer's Bank, the bank guarantee shall become operative and acceptable to the Employer. Further, the bank guarantee in original form along with a copy of "MT760COV (in case of bank guarantee message)/ MT767COV (in case of bank guarantee amendment message) Report" sent by the concerned issuing bank sealed in an envelope shall be submitted to the Employer within ten (10) days of deadline of submission of Tender.</p> <p>(First Para) In case the Tenderer has opted for Tender Security in the form of an unconditional Bank guarantee, the Tenderer shall upload the scanned copy of Bank Guarantee with the Tender. The original Bank Guarantee shall be delivered either by Registered Post/Speed Post/Courier or by hand within ten (10) days of deadline of submission of Tender at the address given below:</p>	<p>We presume that for the requirement as mentioned herein (First Para) of Clause 19.3 a SFMS copy sent online by Bidder bank to Employer Bank is sufficient for meeting the eligibility requirement as mentioned herein moreover the SFMS is generated and send online only hence it is not required to be submitted in a separate envelope as mentioned herein, please confirm.</p> <p>In the Second Para as mentioned herein of Clause 19.3 its states that the Tenderer had to submit Tender Security at the address as mentioned in this clause, hence our understanding is correct that from Bank end nothing is required to be physically by Bank to Employer. Please clarify and confirm as applicable.</p>	<p>Tender conditions are self explanatory.</p> <p>Tender conditions are self explanatory.</p>
80	Clause 19.3 Section II Tender Data Sheet Page 38 Notes: 1.	In case SFMS for the Bank Guarantee is not received by the Employer's Bank through SFMS, original copy of BG received in such a manner will be sent to the concerned Bank for its verification and only after its confirmation from the Bank, BG shall be acceptable by the Employer and Tender shall be evaluated.	We presume that SFMS copy send by Bidder bank to employer Bank online only will suffice the requirement as mentioned herein.	Tender conditions are self explanatory.
81	General	Hydrology Report	Kindly provide horological report.	Refer Sub-Clause 10.25 of Appendix 10 of Section VII-9: Employer's Requirements Appendices, Part 2of Tender Document.
82	General	RUB	Kindly provide Alignment Plan & L-section for RUB.	Refer Sub-Clause ITT 7.2 of Section II-TDS, Part 1 of Tender Dcoument and Sub-CLause 1.1 of Section VII-2: Employer's Requirments-Functional, Part 2 of Tender Document.
83	General	Cross section	Kindly provide cross section for single line & double line.	Refer Sub-Clause 3.3 of Section VII-5: Employer's Requirements -Outline Design Specifications (ODS) – Civil & BLT, Part 2 of Tender Document.
84	General	KML file	Kindly provide KMZ file.	KMZ file is available on HRIDC website fotr reference only.
85	General	Due Date Extension	We are keenly interested to participate in the above bid, but looking into the clarity required for participation in bid as requested above and looking into the size and complexity of project, we request the Authority to please provide at least 4 weeks times for submission of Bid from date of Pre Bid reply received from your end for submitting a comprehensive bid.	Tender conditions remain unchanged.
86	Section VII-8A Tender Drawings	4.2.1 MAJOR BRIDGES- MAIN LINE	Below mentioned drawings are missing: - 1. Conceptual general arrangement drawing for RFO bridge no.155 Span 2X24.4 + 1X45.7 +4X24.4 OWG, Composite at Ch: 61675.078	Refer Attachment 1 of Corrigendum No. 1

CONTRACT PACKAGE C-6: REPLIES TO PRE-TENDER QUERIES (Set 1)_24.04.2024

Contract Package C-6 : Design and Construction of Civil Works (Earthwork, Bridges, Station Buildings, Retaining Walls & other miscellaneous Works) and General Electrical Services works from km 61.50 to km 126.03 between HORC station New Patli and IR station Harsana Kalan and connectivities from Badsa Station of HORC to existing IR Sultanpur station and Mandothi station of HORC to existing IR Asaudah Station in connection with laying of New BG Double Railway line of HORC Project.

S. No.	Reference to Tender Document (Clause/ Para No. & Page No.)	Brief Description of Clause/ Para No. (As quoted by the prospective Tenderer)	Query Raised	Reply of HRIDC										
87	Clause 1 (Appendix A) Price Adjustment	<p>The Contract Price shall be adjusted for increase or decrease in rates and prices of labour, materials, fuel and lubricants, equipment, Machinery, Plant and other Materials or inputs in accordance with the principles, procedures and formulae specified below:</p> <p>a) Base month for the purpose of Price Adjustment shall be the month in which the Tender is opened for Civil Works and General Electrical Services Works. The 1st Quarter will start from Base month;</p> <p>b) For Schedule-'A', Price adjustment shall be applied on completion of the specified stage of the respective item of work.</p> <p>c) Adjustment for each item of work/stage shall be made separately;</p> <p>d) The following expressions and meanings are assigned to the value of the work done for Civil works:</p> <p>EW = Value of work done for the completion of a stage under the Cost Centre 'CE' of Price Schedule 'A' ;</p> <p>BR = Value of work done for the completion of a stage under the Cost Centre 'CB' of Price Schedule 'A';</p> <p>STN = Value of work done for the completion of a stage under Cost Centre CS of Price Schedule 'A';</p> <p>CW = Value of work done under Price Schedule 'B';</p> <p>The following expressions and meanings are assigned to the Cost Centre of Price Schedule 'A':</p> <table border="1" data-bbox="834 919 1240 993"> <thead> <tr> <th>Cost Centre</th> <th>Description of Cost Centre</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2</td> </tr> <tr> <td>CE</td> <td>Earthwork and blanketing</td> </tr> <tr> <td>CB</td> <td>Bridges</td> </tr> <tr> <td>CS</td> <td>Station</td> </tr> </tbody> </table>	Cost Centre	Description of Cost Centre	1	2	CE	Earthwork and blanketing	CB	Bridges	CS	Station	<p>Price Adjustment will be considered in following work done.</p> <p>i) Earthwork and blanketing,</p> <p>ii) Bridges</p> <p>iii) Station</p> <p>In this context, kindly clarify the followings:</p> <p>1. The 1st Quarter will start from the date of signing of Agreement.</p> <p>2. Which items shall be considered in the work done of station.</p> <p>3. For price adjustment in utility shifting work (if any found during construction) shall be considered in other work. If utility shifting shall be not considered, then provide the separate head of utility shifting.</p>	<p>1. Refer Sub-Clause 1.2 a) of Appendix A to Financial Part: Schedule of Adjustment Data, Section IV: Tender Forms, Part 1 of Tender Document.</p> <p>2. Tender Documents are self explanatory</p> <p>3. Tender Documents are self explanatory</p>
Cost Centre	Description of Cost Centre													
1	2													
CE	Earthwork and blanketing													
CB	Bridges													
CS	Station													
88	Section IX - Particular Conditions of Contract (PCC) Part A - Contract Data – Point no. 31	<p>05% of the Accepted Contract Amount less Provisional Sum payable in the currencies and proportions in which the Accepted Contract Amount is payable.</p> <p>The advance payment shall be released against Advance Bank Guarantee in two installments of two percent (2.0%) of the Accepted Contract Amount less Provisional Sum and three percent (03%) of the Accepted Contract Amount less Provisional Sum.</p> <p>i. The first instalment of two percent (2.0%) of the Accepted Contract Amount less Provisional Sum shall be paid against an Advance Payment Certificate, under Sub-Clause 14.2.2.</p> <p>ii. Upon satisfactory utilization of first instalment, the second instalment of three percent (03%) of the Accepted Contract Amount less Provisional Sum shall be paid after the Engineer's approval of the Programme (GCC Sub- Clause 8.3), mobilization of Contractor's Representative (GCC Sub-Clause 4.3) and Key Personnel (GCC Sub-Clause 6.12) as per the Employer's Requirements and commencement of satisfactory operations of the Concrete Batching Plants. The Contractor shall submit utilization statement mentioning detailed particulars of expenses made with supporting documents to demonstrate that such amounts are utilized in a purposeful manner in relation to the Works. This shall be supported or endorsed by certified</p>	<p>10% of the Accepted Contract Amount less Provisional Sum payable in the currencies and proportions in which the Accepted Contract Amount is payable. The advance payment shall be released against Advance Bank Guarantee in two installments of Five percent (5%) of the Accepted Contract Amount less Provisional Sum and Five percent (5%) of the Accepted Contract Amount less Provisional Sum.</p> <p>i. The first instalment of Five percent (5%) of the Accepted Contract Amount less Provisional Sum shall be paid against an Advance Payment Certificate, under Sub-Clause 14.2.2.</p> <p>ii. Upon satisfactory utilization of first instalment, the second instalment of Five percent (5%) of the Accepted Contract Amount less Provisional Sum shall be paid after the Engineer's approval of the Programme (GCC Sub- Clause 8.3), mobilization of Contractor's Representative (GCC Sub-Clause 4.3) and Key Personnel (GCC Sub-Clause 6.12) as per the Employer's Requirements and commencement of satisfactory operations of the Concrete Batching Plants. The Contractor shall submit utilization statement mentioning detailed particulars of expenses made with supporting documents to demonstrate that such amounts are utilized in a purposeful manner in relation to the Works.</p>	<p>Tender conditions remain unchanged.</p>										

CONTRACT PACKAGE C-6: REPLIES TO PRE-TENDER QUERIES (Set 1)_24.04.2024

Contract Package C-6 : Design and Construction of Civil Works (Earthwork, Bridges, Station Buildings, Retaining Walls & other miscellaneous Works) and General Electrical Services works from km 61.50 to km 126.03 between HORC station New Patli and IR station Harsana Kalan and connectivities from Badsa Station of HORC to existing IR Sultanpur station and Mandothi station of HORC to existing IR Asaudah Station in connection with laying of New BG Double Railway line of HORC Project.

S. No.	Reference to Tender Document (Clause/ Para No. & Page No.)	Brief Description of Clause/ Para No. (As quoted by the prospective Tenderer)	Query Raised	Reply of HRIDC
89	Section I – Instructions to Tenderers (ITT) Clause 50 Performance Security	Within twenty-eight (28) days of the receipt of the Letter of Acceptance from the Employer, the successful Tenderer shall furnish the Performance Security in accordance with the General Conditions of Contract, subject to ITT 40.3 (b) and ITT 41.2 (b), using for that purpose the Performance Security Form included in Section X, Contract Forms, or another form acceptable to the Employer. Failure of the successful Tenderer to submit the above-mentioned Performance Security or sign the Contract shall constitute sufficient grounds for the annulment of the award and forfeiture of the Tender Security. In that event the Employer may award the Contract to the Tenderer offering the next Most Advantageous Tender.	The Selected Bidder has the option to provide 50% of the Performance Security, within 30 (thirty) days of receipt of Letter of Acceptance, in any case before signing of the Contract Agreement and the remaining Performance Security shall be submitted within 30 days of signing of this Agreement. In the event the Selected Bidder fails to provide the remaining Performance Security, as prescribed herein, it may seek extension of time for a further period upto 60 days by paying the Damages upfront along with the request letter seeking the extension. The Damages shall be the sum calculated at the rate of 0.01% (zero point zero one per cent) of the Bid Price offered by the Selected Bidder for each day until the Performance Security, is provided in full as prescribed herein. The damages at full rate as given above shall be applicable even if a part of the Performance Security is provided.	Tender conditions remain unchanged.
90	Section VII-9: Employer's Requirements-Appendices Clause 10.1	Location and Boundaries Works Areas are those areas identified in Appendix 3 to these Employer's Requirements and on the Drawings. Within 56 days from Commencement Date, the Contractor shall submit detailed and comprehensive Site Environmental, Social, Health and Safety plan (Appendix 13 of Employer's Requirements) based on Environmental, Social, Health and Safety (ESHS) manual. Within 28 days of the date commencement, the contractor shall submit detailed Quality Plan (Appendix 11 of Employer's Requirements) demonstrating the proposed method of achieving the required quality standards of the Employer as defined in the Employer's Requirements. Normal working hours at site will be as stated in the Contract Data. However, the Contractor, if required, shall carry out work during night hours or in shifts with the approval of the Engineer. No increase in rates or extra payments shall be admissible for night work.	Tenderer requests the Employer to provide current status of land under the possession of the Authority.	Refer Sub-Clause 2.1, Part A-Contract Data of Section IX-PCC, Part 3 of Tender Document.
91	Section VII-9: Employer's Requirements- Appendices Clause 10.2	The Contractor shall be deemed to have inspected, examined and made himself fully familiar with the access routes necessary for the proper execution of the Works and accounted for in the Accepted Contract Amount any costs arising in connection with the accessibility to the ROW. The Employer will not be responsible for any claims which may arise from the use of or otherwise in connection with any access route. The Employer does not guarantee the suitability or availability of any particular access route and will not entertain any claim for any nonsuitability or non-availability of any such route for use (whether continuous or otherwise) during the Contract Period. The Contractor shall make its own arrangements for access required to the Site. The Contractor shall negotiate with the landowners or other appropriate government agencies to seek temporary occupation of land and seeking necessary permission for construction of temporary access roads.	The Authority shall provide the Right of Way to the Contractor in respect of all land included in the Contract Agreement for those parts of the Site referred to therein, or no later than 30 (Thirty) days of signing of Agreement. Bidder requests the Employer to provide valuable assistance to procure access routes from local Administrator.	Tender conditions remain unchanged.
92	RFP Part 1, Section 3, Evaluation & Qualification Criteria, Page 60	Clause 3 Qualification Criteria, Sub-clause 3.3.1 Financial Capabilities	Bidder request authority to include Criteria of Profitability Eg. Positive PAT for the last 3 Financial years for measurement of soundness of the applicant's financial position. May add following criteria "Positive PAT with no history of Corporate and Strategic Debt Restructuring during the last three year financial years from 2020-21 to 28 days prior to deadline of Tender submission."	Tender conditions remain unchanged.
93	1. Alignment	Plan and Profile	FRL and Ground level shown in Plan and profile are not matching with GAD in Bridge Nos. 156, 160, 162, 173, 182, 197, 205, 172, 171 and 169	Refer Attachment 1 of Corrigendum No. 1

CONTRACT PACKAGE C-6: REPLIES TO PRE-TENDER QUERIES (Set 1)_24.04.2024

Contract Package C-6 : Design and Construction of Civil Works (Earthwork, Bridges, Station Buildings, Retaining Walls & other miscellaneous Works) and General Electrical Services works from km 61.50 to km 126.03 between HORC station New Patli and IR station Harsana Kalan and connectivities from Badsa Station of HORC to existing IR Sultanpur station and Mandothi station of HORC to existing IR Asaudah Station in connection with laying of New BG Double Railway line of HORC Project.

S. No.	Reference to Tender Document (Clause/ Para No. & Page No.)	Brief Description of Clause/ Para No. (As quoted by the prospective Tenderer)	Query Raised	Reply of HRIDC
94		Hydrological report	Kindly provide us hydrology report for bridges over river and canal.	Refer Sub-Clause 10.25 of Appendix 10, Section VII-9: Employer's Requirements-Appendices, Part 2 of Tender Document. Refer Sub-Clause ITT 7.2 of Section II-TDS, Part 1 of Tender Document and Sub-Clause 1.1 of Section VII 2: Employer's Requirements – Functional, Part 2 of Tender Document.
95		Standard Drawings	Kindly provide us standard ROSO drawings of "OFC loading (32.St axle load)" for RCC box used for RUBs	Refer last para of Clause 3 of Section VII-1: Employer's Requirements– General, Part 2 of Tender Document.
96		Standard Drawings	Kindly provide us standard ROSO drawings for "25t Loading-2008" of PSC U-slab/PSC slab for a span of 6.Im having drawing no. B- 10257/R.	Refer last para of Clause 3 of Section VII-1: Employer's Requirements– General, Part 2 of Tender Document.
97		Standard Drawings	Kindly provide us standard ROSO drawings of RCC Pipe of size having lxl.80m and lxl.20m.	Refer last para of Clause 3 of Section VII-1: Employer's Requirements– General, Part 2 of Tender Document.
98		Standard Drawings	Kindly provide us standard ROSO drawings of RCC inverted portal structure for following span, 1.lxSxS 2.lx7x5	Refer last para of Clause 3 of Section VII-1: Employer's Requirements– General, Part 2 of Tender Document.
99	General		From Ch. 125.840 to Ch. 126.023 formation levels and rail levels are missing in plan & profile provided by authority. Kindly provide missing levels.	Refer Conceptual Plan & Profile drawing along with Conceptual ESP drawings given in Attachment 1 of Corrigendum No. 1
100		KMZ file	Kindly provide proposed location co- ordinates or KMZ file for the proposed project alignment.	KMZ file is available on HRIDC website for reference only.
101	General		Kindly provide us c/c distance between existing line and HORC line. Also, provide the Formation, Track & Ground level of existing line passing at RHS side of pro. HORC line.	Refer Tender Drawings given in Section VII-8: Tender Drawings and Documents, Part 2 of Tender Document.
102	Section VII-8B Documents	3. STATION BUILDING AND SUBWAY	Below mentioned drawings are missing from documents. <ul style="list-style-type: none"> •GC-HRIDC-C6-DRW-STN-BDA0I_A0(Sheet 1 of 3) •GC-HRIDC-C6-DRW-STN-DEV0I_A0(Sheet 1 of 1) •GC-HRIDC-C6-DRW-STN-BAD0I_A0(Sheet 1 of 3) •GC-HRIDC-C6-DRW-STN-MAN0I_A0(Sheet 1 of 3) •GC-HRIDC-C6-DRW-STN-NAS0I_A0(Sheet 1 of 1) •GC-HRIDC-C6-DRW-STN-JAS0I_A0(Sheet 1 of 1) •GC-HRIDC-C6-DRW-STN-KHAR0I_A0(Sheet 1 of 3) •GC-HRIDC-C6-DRW-STN-TAR0I_A0(Sheet 1 of 3) •GC-HRIDC-C6-DRW-STN-TAR0I_A0(Sheet 1 of 2) •GC-HRIDC-C6-DRW-STN-TAR0I A0(Sheet 1 of 2) 	Refer Attachment 1 of Corrigendum No. 1
103	PCC, Part A, 4.2, Page No-8	Performance Security- The Performance Security will be in the form of a "demand guarantee" in the amount(s) of 5% of the Accepted Contract Amount in the currency (ies) and proportions in which the Accepted Contract Amount is payable.	We request you to reduce the performance security to the tune of 3% of Accepted Contract Amount as per the standard practice of various govt dept like NHAI, MoRTH etc.	Tender conditions remain unchanged.
104	PCC, Part A, 14.2, Page No-9	Total Advance Payment- 05% of the Accepted Contract Amount less Provisional Sum payable in the currencies and proportions in which the Accepted Contract Amount is payable.	We request you to provide 10% interest free mobilization advance against Bank guarantee of equal amount. This will help us in maintaining the cash flow	Tender conditions remain unchanged.



CONTRACT PACKAGE C-6: REPLIES TO PRE-TENDER QUERIES (Set 1)_24.04.2024

Contract Package C-6 : Design and Construction of Civil Works (Earthwork, Bridges, Station Buildings, Retaining Walls & other miscellaneous Works) and General Electrical Services works from km 61.50 to km 126.03 between HORC station New Patli and IR station Harsana Kalan and connectivities from Badsa Station of HORC to existing IR Sultanpur station and Mandothi station of HORC to existing IR Asaudah Station in connection with laying of New BG Double Railway line of HORC Project.

S. No.	Reference to Tender Document (Clause/ Para No. & Page No.)	Brief Description of Clause/ Para No. (As quoted by the prospective Tenderer)	Query Raised	Reply of HRIDC
105	PCC, Part A, 14.3 (iii), Page No-11	Percentage of retention- 10% Limit of Retention Money (as a percentage of Accepted Contract Amount less Provisional Sum)- 5%	We request you to reduce the percentage of retention to 5% and limit of retention to the tune of 2% of the accepted Contract amount.	Tender conditions remain unchanged.
106	PCC, Part B, 14.2.3, Page No-66	The recovery of Advances shall commence when 30% of the Accepted Contract Amount of the Work has been paid and it will be completed by the time, 90% of the Accepted Contract Amount has been paid or the original completion date whichever is earlier.	We request you to amend the said clause as- The recovery of Advances shall commence when 30% of the Accepted Contract Amount of the Work has been paid and it will be completed by the time, 90% of the Accepted Contract Amount has been paid or the original/revised completion date whichever is earlier.	Tender conditions remain unchanged.
107	General		What is the current status of land acquisition including the compensation to land owners.	Refer Sub-Clause 2.1 of Part A-Contract Data, Section IX-PCC, Part 3 of Tender Document
108	General		Kindly upload the TBM list with co-ordinates & RL	Refer Item No. 2 " List of Control Points" of Sub-Section VII-8B: Documents of Section VII-8:Tender Drawings and Documents, Part 2 of Tender Document.
109	General		Can bidder adopt innovative alternate structure, its shape & sizes or its components, alter the span or structural configuration of structures by maintaining client requirements i.e. total span length & clearances? Please confirm.	Tender Documents are self explanantory.
110	General	Topography	Kindly Provide Topography Data.	Refer Sub-Clause 10.26 of Appendix 10, Section VII-9: Employer's Requirements-Appendices, Part 2 of Tender Document. Refer Sub-Clause ITT 7.2 of Section II-TDS, Part 1 of Tender Document and Sub-Clause 1.1 of Section VII 2: Employer's Requirements – Functional, Part 2 of Tender Document.
111	General		We are requesting to allow bidders to use GGBS/Pond Ash in design mix.	Tender Conditions remain unchanged.
112	General		We are requesting to incorporate a clause for a bonus for early completion.	Tender Conditions remain unchanged.
113	Appendix A to Financial Part	Clause Number - 1	Escalation:- For TMT steel RINL indices to be followed, but RINL is not publishing the indices? We request you to base rate of SAIL to be followed? Kindly clarify.	Refer Para 4 of Sub-Clause 1.2 e) xiv) of Appendix A to Financial Part: Schedule of Adjustment Data, Section IV-Tenmder Forms, Part 1 of Tender Document.
114	Section VII-9: Employer's Requirements-Appendices(Page No 84)	Contractor shall be responsible for relocation/diversion/shifting/modification of all charted (except specified otherwise) and uncharted utilities infringing the Works.	Bidder understands that Authority is responsible for permission required for relocation /diversion / shifting / modification of all charted and uncharted utilities infringing the Works. Kindly Confirm	Refer Sub-Clause 10.46.8 of Appendix 10, Section VII-9: Employer's Requirements-Appendices, Part 2 of Tender Document.
115	General	RUB	The Bidder understands that any additional land or costs related to diversions, construction, or obtaining permission from relevant authorities in the case that RUB approaches exceed beyond the ROW shall come under the employer's scope.	Refer Sub-Clause 1.4 and Annexure F-7 of Section VII-2: Employer's Requirements-Functional , Clause 2 of Section VII-5: Employer's Requirements-Outline Design Specifications (ODS)-Civil & BLT, Sub-Clause 5.8.5 b) 1 of Appendix 5 and Sub-Clause 10.3.2 of Appendix 10 of Section VII-9: Employer's Requirements-Appendices, Part 2 of Tender Document.
116	Bid Submission Date		Kindly extend the date of bid submission by one month, i.e., 22-06-2024.	Tender Conditions remain unchanged.





CONTRACT PACKAGE C-6: REPLIES TO PRE-TENDER QUERIES (Set 1)_24.04.2024

Contract Package C-6 : Design and Construction of Civil Works (Earthwork, Bridges, Station Buildings, Retaining Walls & other miscellaneous Works) and General Electrical Services works from km 61.50 to km 126.03 between HORC station New Patli and IR station Harsana Kalan and connectivities from Badsa Station of HORC to existing IR Sultanpur station and Mandothi station of HORC to existing IR Asaudah Station in connection with laying of New BG Double Railway line of HORC Project.

S. No.	Reference to Tender Document (Clause/ Para No. & Page No.)	Brief Description of Clause/ Para No. (As quoted by the prospective Tenderer)	Query Raised	Reply of HRIDC
117	General	Topography.	Kindly provide topography Data.	Refer Sub-Clause 10.26 of Appendix 10, Section VII-9: Employer's Requirements-Appendices, Part 2 of Tender Document. Refer Sub-Clause ITT 7.2 of Section II-TDS, Part 1 of Tender Document and Sub-Clause 1.1 of Section VII 2: Employer's Requirements – Functional, Part 2 of Tender Document.
118	General	Distance between KMP expressway and Upline HORC	Kindly provide Distacnce between KMP expressway and HORC Upline throught the project corridor to find the overlap and for drainage provisions.	Refer Sub-Clause ITT 7.2 of Section II-TDS, Part 1 of Tender Dcoument and Sub-Clause 1.1 of Section VII 2: Employer's Requirements – Functional, Part 2 of Tender Document.
119	C6_Section VII-8 Tender documents & drawings	L-section drawings	Kindly provide the Toe for the KMP expressway for better assessment of quantity.	Refer Sub-Clause ITT 7.2 of Section II-TDS, Part 1 of Tender Dcoument and Sub-Clause 1.1 of Section VII 2: Employer's Requirements – Functional, Part 2 of Tender Document.
120	C6_Section VII-8 Tender documents & drawings	L-section drawings	Kindly provide the ground level and formation level for the KMP expressway for better assessment of quantity.	Refer Sub-Clause ITT 7.2 of Section II-TDS, Part 1 of Tender Dcoument and Sub-Clause 1.1 of Section VII 2: Employer's Requirements – Functional, Part 2 of Tender Document.
121	General	AutoCad files	Authority is requested to kindly share the CAD files for Alignment Plan & Profile & ESPs in UCS global coordinate system	Tender drawings in Pdf are already provided in Section VII-8, Tender Drawing and Documents, Part 2 - Employer's Requirements.
122	General	Track distance.	Kindly provide the track distance between Down line and parellel track running from Ch:62+000 to Badsa station. 	The information available with the Employer has been provided in Tender documents. Refer Sub-Clause ITT 7.2 of Section II-TDS, Part 1 of Tender Dcoument and Sub-CLause 1.1 of Section VII-2: Employer's Requirments-Functional, Part 2 of Tender Document.
123	General	Track distance	Kindly provide the track distance between Down line and parellel track running from CH:123+300 to 125820. 	Refer ESP of New Harsana Kalan given in Attachment 1 of Corrigendum No. 1





CONTRACT PACKAGE C-6: REPLIES TO PRE-TENDER QUERIES (Set 1)_24.04.2024

Contract Package C-6 : Design and Construction of Civil Works (Earthwork, Bridges, Station Buildings, Retaining Walls & other miscellaneous Works) and General Electrical Services works from km 61.50 to km 126.03 between HORC station New Patli and IR station Harsana Kalan and connectivities from Badsa Station of HORC to existing IR Sultanpur station and Mandothi station of HORC to existing IR Asaudah Station in connection with laying of New BG Double Railway line of HORC Project.

S. No.	Reference to Tender Document (Clause/ Para No. & Page No.)	Brief Description of Clause/ Para No. (As quoted by the prospective Tenderer)	Query Raised	Reply of HRIDC
124	General	Water logged area @Ch:69400	Infringement with water logged area. Hence authority is requested to provide the invert level of pond for the assessment of earthwork quantity. Also, geotechnical data in order analyze soil and for ground improvement if required. 	The information available with the Employer has been provided in Tender documents. Refer Sub-Clause ITT 7.2 of Section II-TDS, Part 1 of Tender Document and Sub-Clause 1.1 of Section VII-2: Employer's Requirements-Functional, Part 2 of Tender Document.
125	General	Water logged area @Ch:70389	Infringement with water logged area. Hence authority is requested to provide the invert level of pond for the assessment of earthwork quantity. Also, geotechnical data in order analyze soil and for ground improvement if required. 	The information available with the Employer has been provided in Tender documents. Refer Sub-Clause ITT 7.2 of Section II-TDS, Part 1 of Tender Document and Sub-Clause 1.1 of Section VII-2: Employer's Requirements-Functional, Part 2 of Tender Document.
126	General	Fish pond @Ch:71500	Infringement with fish pond. Hence authority is requested to provide the invert level of pond for the assessment of earthwork quantity. Also, geotechnical data in order analyze soil and for ground improvement if required. 	The information available with the Employer has been provided in Tender documents. Refer Sub-Clause ITT 7.2 of Section II-TDS, Part 1 of Tender Document and Sub-Clause 1.1 of Section VII-2: Employer's Requirements-Functional, Part 2 of Tender Document.
127	General	Water logged area @Ch:73600	Infringement with water logged area. Hence authority is requested to provide the invert level of pond for the assessment of earthwork quantity. Also, geotechnical data in order analyze soil and for ground improvement if required. 	The information available with the Employer has been provided in Tender documents. Refer Sub-Clause ITT 7.2 of Section II-TDS, Part 1 of Tender Document and Sub-Clause 1.1 of Section VII-2: Employer's Requirements-Functional, Part 2 of Tender Document.

CONTRACT PACKAGE C-6: REPLIES TO PRE-TENDER QUERIES (Set 1)_24.04.2024

Contract Package C-6 : Design and Construction of Civil Works (Earthwork, Bridges, Station Buildings, Retaining Walls & other miscellaneous Works) and General Electrical Services works from km 61.50 to km 126.03 between HORC station New Patli and IR station Harsana Kalan and connectivities from Badsa Station of HORC to existing IR Sultanpur station and Mandothi station of HORC to existing IR Asaudah Station in connection with laying of New BG Double Railway line of HORC Project.

S. No.	Reference to Tender Document (Clause/ Para No. & Page No.)	Brief Description of Clause/ Para No. (As quoted by the prospective Tenderer)	Query Raised	Reply of HRIDC
128	General	Water logged area @Ch:74000	<p>Infringement with water logged area. Hence authority is requested to provide the invert level of pond for the assessment of earthwork quantity. Also, geotechnical data in order analyze soil and for ground improvement if required.</p> 	The information available with the Employer has been provided in Tender documents. Refer Sub-Clause ITT 7.2 of Section II-TDS, Part 1 of Tender Document and Sub-Clause 1.1 of Section VII-2: Employer's Requirements-Functional, Part 2 of Tender Document.
129	General	Water logged area @Ch:77500	<p>Infringement with water logged area. Hence authority is requested to provide the invert level of pond for the assessment of earthwork quantity. Also, geotechnical data in order analyze soil and for ground improvement if required.</p> 	The information available with the Employer has been provided in Tender documents. Refer Sub-Clause ITT 7.2 of Section II-TDS, Part 1 of Tender Document and Sub-Clause 1.1 of Section VII-2: Employer's Requirements-Functional, Part 2 of Tender Document.
130	General	Pond @Ch:89700	<p>Infringement with pond. Hence authority is requested to provide the invert level of pond for the assessment of earthwork quantity. Also, geotechnical data in order analyze soil and for ground improvement if required.</p> 	The information available with the Employer has been provided in Tender documents. Refer Sub-Clause ITT 7.2 of Section II-TDS, Part 1 of Tender Document and Sub-Clause 1.1 of Section VII-2: Employer's Requirements-Functional, Part 2 of Tender Document.
131	General	Water logged area @Ch:95500	<p>Infringement with water logged area. Hence authority is requested to provide the invert level of pond for the assessment of earthwork quantity. Also, geotechnical data in order analyze soil and for ground improvement if required.</p> 	The information available with the Employer has been provided in Tender documents. Refer Sub-Clause ITT 7.2 of Section II-TDS, Part 1 of Tender Document and Sub-Clause 1.1 of Section VII-2: Employer's Requirements-Functional, Part 2 of Tender Document.

CONTRACT PACKAGE C-6: REPLIES TO PRE-TENDER QUERIES (Set 1)_24.04.2024

Contract Package C-6 : Design and Construction of Civil Works (Earthwork, Bridges, Station Buildings, Retaining Walls & other miscellaneous Works) and General Electrical Services works from km 61.50 to km 126.03 between HORC station New Patli and IR station Harsana Kalan and connectivities from Badsa Station of HORC to existing IR Sultanpur station and Mandothi station of HORC to existing IR Asaudah Station in connection with laying of New BG Double Railway line of HORC Project.

S. No.	Reference to Tender Document (Clause/ Para No. & Page No.)	Brief Description of Clause/ Para No. (As quoted by the prospective Tenderer)	Query Raised	Reply of HRIDC
132	Section VII-5 Clause 4.2.1 Pg.117	Bridge elements to be designed by the Contractor includes, but not limited to, the following: -	Please clarify contractor design of superstructure is allowed or not.	Tender Documents are self explanatory.
133	Section VII-5 Clause 4.2.1 Pg.117	Bridge elements to be designed by the Contractor includes, but not limited to, the following: -	Please clarify contractor design of superstructure with lesser qty than standard RDSO drawing is permissible or not.	Tender Documents are self explanatory.
134	Section VII-5 Clause 2.7 (L) Pg.111	For bridges shown with pile/ well foundation in the Tender drawings only deep foundation shall be provided.	Is it applicable for Box/MNB type structure, kindly clarify.	Tender Documents are self explanatory.
135	Section VII-5 Clause 4.2.3 Pg.119	This group includes bridges having superstructure of PSC U- slab (post tensioned)/ PSC slab (pretensioned). Bridge elements to be designed by the Contractor includes, but not limited to, the following:	Please clarify whether it is allowed to use RDSO standard post tensioned slab for 6.1m span. (dwg 10274)	Tender Documents are self explanatory.
136	Section VII-5	Span arrangement	Please clarify whether is it allowed to use other RDSO span/drawings instead of proposed span in tender drawings.	Tender Documents are self explanatory.
137	Drawing	ch 91968 MJB Br no 267	Clearance in drawing is shown as 4511mm but as per IRC minimum clearance is equired 5500mm. Increasing clearance will affect rail levels. Please clarify.	Refer Dwg No. GC-HRIDC-C6-DRW-BRD-GAD-01267_A1 given in Attachment 1 of Corrigendum No. 1
138	Drawing	MJBs	Kindly provide existing road levels and width.	Refer Tender drawings given in Section VII-8: Tender Drawings and Documents, Part 2 of Tender Document.
139	Drawing	MJBs	We understand that it is possible to change type of foundation from well to pile foundation. Kindly confirm.	Refer Sub-Clause 2.7 I) of Section VII-5: Employer's Requirements -Outline Design Specifications (ODS) – Civil & BLT, Part 2 of Tender Document.

Note: The replies for the balance Pre - Tender Queries received from the prospective Tenderers by the due date of submission of Pre - Tender queries will be uploaded in due course